

Administrator Console


The admin console provides access to high-level functions affecting all the knowledgebases on a specific server, including:

- Creating or deleting KBs
- Editing KB properties
- Disabling KBs
- Enabling debugging for a selected KB
- Setting the default SMTP server
- Creating a scheduled backup for each KB
- Managing licensing for all KBs.

The admin console also provides access to sensitive security functions that are not accessible from within a particular KB, even to the admin group. Access to the administrator console is only available for on-premise customers or those with a dedicated server.

Log in to the Admin Console

1. Navigate to the login screen for the server.
2. Select Admin Console.
3. Enter your admin console credentials and click OK.



The image shows a login dialog box with a light gray background and a thin blue border. At the top, it says "- Welcome -". Below that is a "Language:" label followed by a dropdown menu showing "used last session" with a downward arrow. Underneath are two radio buttons: "Admin Console" (which is selected, indicated by a black dot and a hand cursor icon) and "KnowledgeBase". Below the radio buttons are two text input fields, one labeled "Login:" and one labeled "Password:". At the bottom center is an orange button with the text "OK". In the bottom right corner, there is a blue link labeled "Help".

Login dialog with Admin Console selected

Admin Console Sections

Below is a description of the features in each section of the admin console. The left pane of the admin console contains several categories of items. More detailed information is available in the linked topics.

Home

The Home screen contains the build version of your Agiloft release, and provides some assistance in using the most common functions of the console.

People

The People section enables you to manage admin console users. User settings in the admin console do not affect the system KBs.

KB Management

The KB management section consists of the following items:

Name	Functions
Knowledgebases	<ul style="list-style-type: none">▪ Create a KB from the default template at KB Management > KnowledgeBases > New.▪ Copy an existing KB on the same server at KB Management > KnowledgeBases > Copy.▪ Delete a KB.▪ Edit the table structure of a KB.▪ Disable a KB. This prevents users from logging in, and disables all actions including rules, background actions, emails, backup activities, and user sessions. Effectively, nothing runs and the KB is inactive.

Import	<p>Import a KB from a local file on the server.</p> <p>Importing a KB creates a new KB on the server, or will overwrite an existing KB with the same name.</p>
Backup	<p>Set a custom backup schedule for each knowledgebase. Specify where the backup files should be stored and how often to delete old backup files.</p> <p>You can also backup the current state of the selected KB by navigating to KB Management > Backup and clicking Run Backup Now.</p>
License	<p>Install licenses for a particular KB or for all KBs in your installation. Global licenses created in the admin console will be used when there are no KB-specific licenses available.</p>
Repair	<p>Perform integrity checks on various aspects of the knowledgebases in a system, and perform automated fixes on them.</p>
Patches	<p>Manage system patches for each knowledgebase. You can review the changes in a patch, check the file integrity, apply the patch, and roll back changes if needed by clicking the Resurrect button.</p>

Debugging

The Debugging section consists of the following items:

Name	Functions
Debugging	Turn on debugging for specific functions, and specify how to save the debugging data.
Performance	Test system performance and generate server and KB metrics. See Performance Tuning for more details.
Cache	Manage the server's cache by clearing it and browsing its contents. This can be useful for debugging.
Sync	View and manage the existing sync processes and ESA connections.

General

The General section consists of the following items:

Name	Functions
------	-----------

Background Services	<p>Lists all background services and enables you to stop any or all of them.</p> <div> <p>Current status: All background services are running</p> <p>Stop all background services</p> <p>Service QUARTZ_SERVICE is running Stop it</p> <p>Service CHAT_SERVICE is running Stop it</p> <p>Service CHAT_TIMER_TASK is running Stop it</p> <p>Service BACKUP_SERVICE is running Stop it</p> <p>Service REINDEX_SERVICE is running Stop it</p> <p>Service PERFORMANCE_MONITOR is running Stop it</p> <p>Service TRANSACTION_DUMP_SERVICE is running Stop it</p> </div> <p>Background Services list</p>
Variables	<p>Contains a set of variables that enable you to store values that can be used anywhere in the system. Variables that are defined in the admin console apply to all knowledgebases, but will be overridden if the same variable is configured in a KB.</p>
Look and Feel	<p>Uses the standard Power User Interface Look and Feel wizard to customize the appearance of the admin console.</p>
Localization	<p>Upload translation files to localize the system text to another language. Uploaded languages files will be available in all KBs. For more information, see Localization.</p>
Settings	<ul style="list-style-type: none"> Set up Two-Factor Authentication for the admin console. For more information, see Two-Factor Authentication. Set the time zone for the admin console and knowledgebases. This is particularly useful for setting the appropriate Reindex Optimization Period to avoid table locks during business hours.

Options	<p>Allows reports to be written directly to disk. If this is enabled, the Schedule tab of the Report wizard contains a "Write to disk" option.</p>  <p>The screenshot shows two overlapping windows. The top window is titled 'Options' and contains a checked checkbox labeled 'Allow reports to write to disk'. The bottom window is titled 'Distribute report via:' and contains two checked checkboxes: 'Email' and 'Write to disk'. A mouse cursor is pointing at the 'Write to disk' checkbox.</p> <p>Admin Console setting and the Report wizard setting it controls</p>
---------	--

Communications

The Communications section consists of the following items:

Name	Functions
Mail Daemons	<p>The Mail Daemons section is used to check the status of the email server and manage alerts and notification settings.</p> <p>In addition, you can clear mail queues by clicking Clear storage, and stop and start the mail processes.</p>
Broadcast	Send messages to all users in the admin console. Messages will appear in a pop-up when the users log into the KB.
SMTP (Email)	Set the default SMTP server used for sending outbound email for all knowledgebases on the server.
SMS	<p>Set up an SMS account to send messages for either communication or two-factor authentication. The SMS screen allows you to make the account available for all KBs. This option will make the account name appear in the account list wherever SMS is used, although unauthorized users will not be able to view the account details in the KB.</p>